Architecture Work Template

Table of Contents

Tr Change Log. 2	2
Introduction	2
Purpose	2
Definitions	2
Architecture Vision	2
Stakeholders <mark>optional</mark>	2
Motivation View	3
Strategy viewpoint <mark>optional</mark>	3
Solution Concept diagram optional	ŀ
Objective of the Architecture Work 4	ŀ
Business Architecture	5
Information Map	5
Organization Viewpoint <mark>optional</mark>	5
Product Viewpoint optional	;
Gap Analysis	;
🔅 Information Systems Architecture	;
Application Structure Viewpoint	7
C4 Model diagrams <mark>optional</mark>	7
Information Structure Viewpoint	3
Application/Data Matrix <mark>optional</mark>	3
Gap Analysis)
🖏 Technology Architecture. 9)
Technology Viewpoint. 9)
C4 Model diagrams <mark>optional</mark>)
Physical Viewpoint)
C4 Model deployment diagrams <mark>optional</mark>	Ĺ
Gap Analysis	Ĺ
Work Packages	
Gap Consolidation	2
Work Package Grouping)
Action List)
Sourse of Action	3
Implementation Phases	3
Implementation and Migration Viewpoint	3
Gant Chart <mark>optional</mark>	
Risks optional	Ł

Implementation Factors	<mark>optional</mark>	<mark>l</mark>
License		

T7 Change Log

TIP

The purpose of the change log is to keep track of changes made to the document. It should be updated each time a change is made, with the date, author, and a brief description of the change.

When?	Who?	What?
<mark>date of the change</mark>	author of the change	description of the change

Introduction

The purpose of the introduction is to provide context for the architecture work. It should include the purpose of the document, definitions of key terms, and any relevant background information.

Purpose

TIP

TIP

Explain why it is important to perform the architecture work. For instance, it may be related to a change request that is significant or can be implemented in different ways, requiring the approval of stakeholders. Therefore, the architecture work is needed to clarify the options and support decision-making.

Definitions

Define any key terms that will be used throughout the document. This will help ensureTIPthat everyone has a common understanding of the terms used in the architecture
work.

Architecture Vision

TIP This is where the artefacts of the first action of the Quick Technical Architecture Method are documented.

Stakeholders <mark>optional</mark>

The stakeholder map helps identify the stakeholders involved in the architectureTIPwork. It should include their drivers, concerns, and any other relevant information
that will help to model the Motivation View.

Drivers are the motivations of the stakeholders. They can be business drivers,**TIP**technical drivers, or any other type of driver that influences the architecture work. We
can also see them like concerns or needs of the stakeholders.

Goals are the objectives that the stakeholders want to achieve through the architecture work. They shall be related to the drivers. If a goal exists without a driver, either the driver is missing or the goal is may be not relevant.

Outcomes are the results that the stakeholders expect from the fulfilment of the goals.TIP They are the benefits that the stakeholders will gain from the architecture work. It is highly related to the concept of "value" in the business architecture.

TIP Requirements are the constraints that the stakeholders impose on the architecture work. They can be functional or non-functional requirements.

TIP Principles are the guidelines that the stakeholders want to follow in the architecture work. They can be related to the design, implementation, or any other aspect of the architecture work. They are often derived from the requirements and help to ensure that the architecture work is aligned with the stakeholders' needs and expectations.

Table 1. Architecture Vision: Stakeholder Map

Stakeholder	Drivers	Goals	Outcome	Requirements	Principles
<mark>the name of</mark>	the drivers of	<mark>the goals of the</mark>	<mark>the outcomes</mark>	<mark>the</mark>	the principles
<mark>the stakeholder</mark>	the stakeholder	<mark>stakeholder</mark>	expected by	requirements	followed by the
			<mark>the stakeholder</mark>	<mark>imposed by the</mark>	<mark>stakeholder</mark>
				<mark>stakeholder</mark>	

Motivation View

The motivation view provides the context for the architecture work. It should includeTIPthe business drivers, constraints, and any other relevant information that helps
stakeholders understand the need for and challenges of the architecture work.

The output of the stakeholder map can help define the motivation view. However, some concepts like requirements and principles may not be directly related to the stakeholders. They can be derived from business drivers, goals, and outcomes, or defined by the architects to ensure that the architecture work is aligned with stakeholders' needs and expectations.

include the diagram there

Strategy viewpoint optional

TIP The strategy viewpoint enables the Business Architect to model a high-level overview

of the enterprise's strategies, supported capabilities, value streams, resources, and intended outcomes.

include the diagram there

Solution Concept diagram optional

TIP

The solution concept diagram provides a high-level overview of the architecture work. It should include the main components, their relationships, and any other relevant information that helps stakeholders understand the outcome of the architecture work.

include the diagram there

Objective of the Architecture Work

TIP

The objective of the architecture work is to define the scope and purpose of the architecture work. It should be clear, concise, and aligned with the stakeholders' needs and expectations.

Table 2. Architecture Vision: SMART Criteria Assessment

Criteria	Description	Content	Self-Assessment
Specific	The objective should be clear and unambiguous, detailing exactly what is to be accomplished.	type the object content matching the criteria	[] Yes the objective is Specific!
Measurable	There should be criteria for measuring progress and success. It answers the question: How will you know when it's done?	type the object content matching the criteria	[] Yes the objective is Measurable!
Achievable	The objective should be realistic, considering available resources and constraints.	type the object content matching the criteria	[] Yes the objective is Achievable!
Relevant	The objective should align with stakeholder expectations and practitioner(s) skills.	type the object content matching the criteria	[] Yes the objective is Relevant!
Time-bound	The objective should have a defined timeline or deadline to create urgency and focus.	type the object content matching the criteria	[] Yes the objective is Time-bound!

Business Architecture

TIP

This is where the artefacts of the second action of the Quick Technical Architecture Method are documented

Information Map

A collection of information concepts and their relationships, reflecting the business
 TIP vocabulary (e.g., client, account, product). Mapping begins by identifying key elements important to the business and defining them in business terms.

Baseline Information Map

include the baseline diagram there

Target Information Map

include the target diagram there

Gaps

highlight the high-level differences between the baseline and target diagrams

Organization Viewpoint optional

TIP

The organization viewpoint focuses on the internal structure of a company, department, or network. It can be modeled using nested block diagrams or traditional organizational charts and helps identify competencies, authority, and responsibilities.

Baseline Organization Viewpoint

include the baseline diagram there

Target Organization Viewpoint

include the target diagram there

Gaps

highlight the high-level differences between the baseline and target diagrams

Product Viewpoint optional

The product viewpoint shows the value a product offers to customers or external parties. It details the product's composition using services and related contracts or agreements. It can also show delivery channels and related events. This viewpoint supports product development by guiding the design of new or existing services and informing business process and ICT design.

Baseline Product Viewpoint

include the baseline diagram there

Target Product Viewpoint

include the target diagram there

Gaps

TIP

highlight the high-level differences between the baseline and target diagrams

Gap Analysis

The gap analysis identifies the differences between the current state and the desiredTIP future state of the architecture. It helps to identify the areas that need to be addressed in order to achieve the objectives of the architecture work.

Table 3. Business Architecture: Gap Analysis

Gap	Description	Notes
the name of the gap	a breif description of the gap,	additional notes or comments if
	<mark>baseline vs target</mark>	needed

Information Systems Architecture

This is where the artefacts of the third action of the Quick Technical Architecture Method are documented.

TIP

TIP

Alternative architectures can pop up during the Information Systems Architecture analysis. Drawing a target diagram for each can be time-consuming, so it is recommended to, as much as possible, represent the target alternatives within the same diagram. This way, the Baseline and Target Architectures can be compared side by side, highlighting the differences and gaps.

Application Structure Viewpoint

TIP

The application structure viewpoint illustrates the structure of one or more applications or components. It helps design or understand their architecture and related data, such as breaking down a system or identifying legacy components for migration or integration.

Baseline Application Structure Viewpoint

include the baseline diagram there

Target Application Structure Viewpoint

include the target diagram there

Gaps

highlight the high-level differences between the baseline and target diagrams

C4 Model diagrams <mark>optional</mark>

TIP

The C4 model diagrams provide a hierarchical view of the architecture, from the context diagram to the component diagram. They help to visualize the architecture and its components, their relationships, and interactions.

TIP The C4 model diagrams are optional, but they can be useful to provide a more detailed view of the architecture. They can be used to complement the application structure viewpoint and provide a more comprehensive view of the architecture. They can also just replace the Application Structure Viewpoint.

The Container Diagram may be too confusing in the Application Architecture sectionTIPbecause of its technological nature. It is recommended to use it in the Technology
Architecture section instead, where it is more appropriate.

Drawing a C4 model diagram for the Baseline and another for the Target ArchitectureTIP can be time-consuming. Therefore, it is recommended to, as much as possible, represent the Baseline and Target Architectures in the same diagram.

TIP The purpose of the modeling is to identify and highlight gaps, so model the strict minimum.

Solution context diagram

TIP The solution diagram is not defined in the C4 model. Usually, architecture work is about a system or a set of systems within an ecosystem that has defined boundaries.

Most of the time, the boundary is the limit of a so-called "solution." Therefore, the diagram starts with the solution and shows persons and systems or other solutions consuming its services, as well as systems or other solutions serving it. This way, in one view, we can see who depends on the solution and who the solution depends on. Then, when we zoom into the Solution box, we find the Container Diagram, which describes the systems composing the solution.

include the solution context diagram there

highlight the high-level differences between the baseline and target diagrams

System context diagram

TIP

The system context diagram is the first diagram of the C4 model. It provides a highlevel overview of the system and its interactions with external entities, such as users and systems. It helps to understand the context in which the system operates and its relationships with external entities.

include the system context diagram there

highlight the high-level differences between the baseline and target diagrams

Information Structure Viewpoint

TIP

The application usage viewpoint shows how applications support business processes and interact with other applications. It helps design applications by identifying needed services, or design processes by showing available services. It also highlights process dependencies, aiding operational management.

Baseline Information Structure Viewpoint

include the baseline diagram there

Target Information Structure Viewpoint

include the target diagram there

Gaps

highlight the high-level differences between the baseline and target diagrams

Application/Data Matrix optional

TIP

The Application/Data matrix shows the relationship between applications and the data entities they access or modify. It maps how applications create, read, update, or delete data—such as a CRM system managing customer data. Data entities may include master, reference, transactional, content, or historical data, and are handled by various types of applications like transactional, information management, or business warehouse systems.

Data → Applications 🛛	Data#A	Data#B
App#A	read	
App#B		write
App#C	read	write

Table 4. Information Systems Architecture: Application/Data Matrix

Gap Analysis

The gap analysis identifies the differences between the current state and the desiredTIP future state of the architecture. It helps to identify the areas that need to be addressed in order to achieve the objectives of the architecture work.

Table 5. Information Systems Architecture: Gap Analysis

Alternative	ernative Gap Descr		Notes
the name of the alternative	the name of the gap	a breif description of the gap, baseline vs	additional notes or comments if needed
architecture, if any		target	

🖏 Technology Architecture

TIP This is where the artefacts of the fourth action of the Quick Technical Architecture Method are documented.

Alternative architectures can pop up during the Technology Architecture analysis. Drawing a target diagram for each can be time-consuming, so it is recommended to, as much as possible, represent the target alternatives within the same diagram. This way, the Baseline and Target Architectures can be compared side by side, highlighting the differences and gaps.

Technology Viewpoint

The technology viewpoint includes the software and hardware elements that supportTIPthe Application Layer, such as physical devices, networks, operating systems,
databases, and middleware.

Baseline Technology Viewpoint

include the baseline diagram there

Target Technology Viewpoint

include the target diagram there

Gaps

highlight the high-level differences between the baseline and target diagrams

C4 Model diagrams optional

- The C4 model diagrams provide a hierarchical view of the architecture, from the context diagram to the component diagram. They help to visualize the architecture and its components, their relationships, and interactions.
- **TIP** Guidance on the C4 model diagrams is provided in the Information Systems Architecture section.

Container Diagram

In the technology architecture section, the Container Diagram is the most relevant C4TIPmodel diagram. It provides a high-level overview of the technology architecture,
showing the containers (applications, databases, etc.) and their relationships.

include the container diagram there

highlight the high-level differences between the baseline and target diagrams

Physical Viewpoint

TIP

The physical viewpoint represents equipment that creates, uses, stores, moves, or transforms materials, along with its connections via distribution networks and any assigned active elements.

Baseline Physical Viewpoint

include the baseline diagram there

Target Physical Viewpoint

include the target diagram there

Gaps

highlight the high-level differences between the baseline and target diagrams

C4 Model deployment diagrams optional

- The C4 model deployment diagrams focus on the physical deployment of the technology architecture. They show how the containers are deployed on the physical infrastructure, including servers, networks, and other hardware or cloud components.
- **TIP** Guidance on the C4 model diagrams is provided in the Information Systems Architecture section.

Deployment Diagram

include the deployment diagram there

highlight the high-level differences between the baseline and target diagrams

Codebase Analysis optional

Some changes may require a codebase analysis to understand the current state of thecode and its dependencies. This can help identify potential issues and risks associated with the architecture work.

include the codebase analysis there

highlight the high-level differences between the baseline and target about the codebase

Threat Modeling optional

Threat modeling is used to identify and address potential security threats in an architecture. Techniques like STRIDE and DREAD help analyze and mitigate these risks.

include the data flow diagram (DFD) here

include the STRIDE analysis here

include the DREAD analysis here

Gap Analysis

TIP

The gap analysis identifies the differences between the current state and the desired future state of the architecture. It helps to identify the areas that need to be addressed in order to achieve the objectives of the architecture work.

Table 6. Technology Architecture: Gap Analysis

Alternative	Gap Description		Notes	
the name of the	the name of the gap	<mark>a breif description of</mark>	additional notes or	
<mark>alternative</mark>		the gap, baseline vs	comments if needed	
<mark>architecture, if any</mark>		<mark>target</mark>		

🕲 Work Packages

TIP

This is where the artefacts of the fifth action of the Quick Technical Architecture Method are documented.

Gap Consolidation

This list consolidate the gaps identified in the previous sections. It provides a highlevel overview of the work packages that need to be addressed in order to achieve the objectives of the architecture work.

Table 7. Work Packages: Gap Consolidation

Alternative	Gap References	Work Package	Description	Notes
the name of the	the list of gaps	the name of the	a brief description	additional notes or
alternative	<mark>related to the</mark>	work package	<mark>of the work</mark>	comments if
<mark>architecture, if</mark>	<mark>work package</mark>		<mark>package</mark>	needed
any any				

Work Package Grouping

TIP This section groups the work packages into logical groups. It helps to organize the work packages and identify the dependencies between them.

Table 8. Work Packages: Work Package Grouping

Alternative	Work Package References	Group	Description	Dependencies	Notes
<mark>the name of</mark>	<mark>the list of work</mark>	<mark>the name of</mark>	<mark>a brief</mark>	<mark>the list of</mark>	additional
the alternative	<mark>packages in the</mark>	<mark>the group</mark>	description of	dependencies	notes or
<mark>architecture, if</mark>	<mark>group</mark>		<mark>the group</mark>	<mark>between the</mark>	<mark>comments if</mark>
any 🛛				work packages	needed

Action List

TIP

This section provides a list of actions that need to be taken in order to implement the work packages. It helps to identify the tasks that need to be completed and the resources required to complete them.

Table 9. Work Packages: Action List

Alternative	Group	Work Package	Actions	Effort	Notes
<mark>the name of</mark>	<mark>the name of</mark>	<mark>the name of</mark>	<mark>the list of</mark>	<mark>the estimated</mark>	additional
<mark>the alternative</mark>	the group	<mark>the work</mark>	<mark>actions that</mark>	<mark>effort required</mark>	<mark>notes or</mark>
<mark>architecture, if</mark>		<mark>package</mark>	<mark>need to be</mark>	<mark>to complete the</mark>	<mark>comments if</mark>
any any			taken to	actions	<mark>needed</mark>
			<mark>implement the</mark>		
			<mark>work package</mark>		

& Course of Action

TIP

This is where the artefacts of the sixth action of the Quick Technical Architecture Method are documented.

Implementation Phases

TIP

Identifying the implementation phases is crucial for planning and executing the architecture work. It helps to break down the work into manageable phases. The unit of work for the phase is the group of work packages.

The concept of wave letter help to identify dependencies between the phases. For instance, if a phase is dependent on the completion of another phase, it can be assigned a letter that comes after the letter of the dependent phase. This way, it is easy to see which phases can be executed in parallel and which ones need to be executed sequentially.

Alternativ e	Group Reference s	Phase	Wave	Deliverabl es	Effort	Descriptio n	Notes
<mark>the name</mark>	<mark>the list of</mark>	<mark>the name</mark>	<mark>the wave</mark>	<mark>the list of</mark>	<mark>the</mark>	<mark>a brief</mark>	additional
<mark>of the</mark>	work	<mark>of the</mark>	or iteration	<mark>deliverable</mark>	<mark>estimated</mark>	description	notes or
<mark>alternative</mark>	<mark>package</mark>	<mark>phase</mark>	<mark>of the</mark>	<mark>s for the</mark>	<mark>effort</mark>	<mark>of the</mark>	<mark>comments</mark>
<mark>architectur</mark>	<mark>groups</mark>		<mark>phase</mark>	<mark>phase</mark>	<mark>required to</mark>	<mark>phase</mark>	<mark>if needed</mark>
<mark>e, if any</mark>	<mark>related to</mark>				<mark>complete</mark>		
	<mark>the phase</mark>				<mark>the phase,</mark>		
					<mark>based on</mark>		
					<mark>estimated</mark>		
					actions		

Table 10. Course of Action: Phases

Implementation and Migration Viewpoint

TIP The implementation and migration viewpoint links programs and projects to the

architecture elements they implement. It models the scope of these initiatives in terms of realized plateaus or affected elements, with annotations showing how the elements are impacted.

TIP The "Course Of action: Phases" table shall provide most of the information needed to fill this section.

include the implementation and migration viewpoint diagram here

Gant Chart <mark>optional</mark>

TIP

The Gantt chart provides a visual representation of the implementation phases and their dependencies. It helps to plan and schedule the work packages and actions, ensuring that the architecture work is executed in a timely manner.

include the Gantt chart here

Risks <mark>optional</mark>

TIP

List the risks associated with the implementation phases. It helps to identify potential issues that may arise during the implementation of the architecture work and to plan for their mitigation.

include the risks, their likelihood, impact, and mitigation strategies here

Implementation Factors optional

TIP

This section provides a list of factors that need to be considered during the implementation. It helps the implementation team providing guidance on how to implement the architecture work and to ensure that it is aligned with the stakeholders' needs and expectations.

TIP

The notes column from the other tables can be used to note the implementation factors when performing the architecture work. This way, it is easy to keep track of the factors that need to be considered during the implementation and just consolidate them in this section.

Table 11. Course of Ac	ction: Implementation Factors
------------------------	-------------------------------

Factor	Description	Notes
the name of the factor	a brief description of the factor	additional notes or comments if needed



 $\label{eq:architecture Work Template @ 2025 by Thibault Morin is licensed under CC BY-NC 4.0. To view a copy of this license, visit https://creativecommons.org/licenses/by-nc/4.0/$